SIEMENS

Data sheet 3VA9673-0JB32



circular conduc. terminal TA3.2 3 x 4/0…400 kcmil for 3 cables; 3 units accessory for: 3VA55; 3VA65/3VA66

Model	
product brand name	SENTRON
product designation	Circular conductor terminal internal, 3 cables, 3 units
accessories	Wire connector
General technical data	
designation / of the terminal	TA3.2
type of electrical connection / with control wire tap	No
Connections according IEC	
connectable conductor cross-section	
● for copper cable / stranded / minimum	120 mm²
● for copper cable / stranded / maximum	185 mm²
● for aluminum cable / stranded / minimum	120 mm²
● for aluminum cable / stranded / maximum	185 mm²
stripped length	26 mm
tightening torque / when using copper cables	
● stranded	120 - 185 mm²: 25.4 Nm
Connetctions according UL	
permissible temperature / of connectable conductor / according to UL 486A-486B	75 °C
stripped length	1.02 in
connectable conductor cross-section	
● for copper cable / stranded / minimum	4/0 AWG
● for copper cable / stranded / maximum	400 kcmil
● for aluminum cable / stranded / minimum	4/0 AWG
● for aluminum cable / stranded / maximum	400 kcmil
Certificates	
General Product Approval	

Miscellaneous

EMV	Test Certificates	Marine / Shipping	other		
	Type Test Certific-ates/Test Report		Confirmation	Miscellaneous	Miscellaneous

Subject to change without notice
© Copyright Siemens


Environment

Environmental Con-firmations

Environmental Con-firmations

Further information

Information on the packaging
https://support.industry.siemens.com/cs/ww/en/view/109813875
Information- and Downloadcenter (Catalogs, Brochures,…)
http://www.siemens.com/lowvoltage/catalogs
Industry Mall (Online ordering system)
https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3VA9673-0JB32
Service&Support (Manuals, Certificates, Characteristics, FAQs,...)
https://support.industry.siemens.com/cs/ww/en/ps/3VA9673-0JB32
Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)
http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3VA9673-0JB32
CAx-Online-Generator
http://www.siemens.com/cax
Tender specifications
http://www.siemens.com/specifications



last modified: 4/3/2025

Subject to change without notice
© Copyright Siemens

Subject to change without notice
© Copyright Siemens