

Specification Sheet

Part Number: 133-03188

Triple pipe clip secures three routings together while keeping them separated, to prevent chafing or heat transfer

Inverted retaining legs and narrow opening prevent inadvertent disengagement of pipe



Controlled flex and angled entry promote easy pipe installation

Tube and Pipe Clip, 3x4.7-5.1mm Diameter, PA66HIRHSUV, Black, 4000/ctn

Article Number 133-03188

Type PC5X3

Color Black (BK)

Quantity Per carton

Product Description This clip features a modular design that can be used individually or lined together to secure multiple pipes or hoses.

Short Description Tube and Pipe Clip, 3x4.7-5.1mm Diameter, PA66HIRHSUV, Black, 4000/ctn

Global Part Name PC5X3-PA66HIRHSUV-BK

Minimum Tensile Strength (Imperial)	20
Minimum Tensile Strength (Metric)	90
Length L (Imperial)	1.03
Length L (Metric)	25.2
Width W (Imperial)	0.4
Width W (Metric)	10.16
Height H (Imperial)	0.38
Height H (Metric)	9.3
Nominal Diameter (Metric)	4.7
Material	Polyamide 6.6 high impact modified, heat and UV stabilized (PA66HIRHSUV)
Material Shortcut	PA66HIRHSUV
Flammability	UL 94 HB
UV Resistant (Yes/No)	Yes
Use Conditions	For Indoor and Outdoor Use
Operating Temperature	-40°F to +230°F (-40°C to +110°C)

Reach Compliant (Article 33) No

ROHS Compliant Yes

Package Quantity (Imperial) 4000

Package Quantity (Metric) 4000

Customs Number 3926909988