

Specification Sheet


Part Number: 556-26500

Impregnated with metal particles, making it magnetic and X-ray detectable.

Outstanding resistance to chemical cleaning products commonly used in the food, beverage and pharmaceutical industries.

Resists high temperatures and won't burn, making it ideal for a wider range of applications.

Print from the reel with HellermannTyton's premium range of thermal transfer printers.



Printable Tag with Metal Content, 0.43" x 2.55", Polyolefin, Blue, 190/roll

Article Number	556-26500
Type	TTAGMC11BEX65S
Color	Blue (BU)
Quantity Per	reel
Product Description	TTAG MC is a Tiptag that is detectable using a metal scanner. The Tiptag can be printed and applied to wire and cable for use in food processing equipment where foreign matter cannot be allowed to contaminate consumer products.
Short Description	Printable Tag with Metal Content, 0.43" x 2.55", Polyolefin, Blue, 190/roll

Global Part Name TTAGMC11BEX65S-PO/MET-BU

Length L (Imperial) 2.56

Length L (Metric) 20.0

Fixation Method Others

Variant Roller form

Width W (Imperial) 0.43

Width W (Metric) 20.0

Height H (Imperial) 0.43

Cable Tie Width Max (Metric) 4.6

Material Polyolefin (PO) Metal (MET)

Material Shortcut PO MET

UV Resistant (Yes/No) No

Use Conditions For Indoor Use Only

Operating Temperature -40°F to +185°F (-40°C to +85°C)

Reach Compliant (Article 33) Yes

ROHS Compliant Yes

Package Quantity (Imperial) 190

Package Quantity (Metric) 190

Customs Number 3921905050