

Specification Sheet


Part Number: 556-26501

Impregnated with metal particles, making it magnetic and X-ray detectable.

Outstanding resistance to chemical cleaning products commonly used in the food, beverage and pharmaceutical industries.

Resists high temperatures and won't burn, making it ideal for a wider range of applications.

Print from the reel with HellermannTyton's premium range of thermal transfer printers.



Printable Tag with Metal Content, 0.43" x 3.93", Polyolefin, Blue, 120/roll

Article Number	556-26501
Type	TTAGMC11BEX100S
Color	Blue (BU)
Quantity Per	reel
Product Description	TTAG MC is a Tiptag that is detectable using a metal scanner. The Tiptag can be printed and applied to wire and cable for use in food processing equipment where foreign matter cannot be allowed to contaminate consumer products.
Short Description	Printable Tag with Metal Content, 0.43" x 3.93", Polyolefin, Blue, 120/roll

Global Part Name TTAGMC11BEX100S-PO/MET-BU

Length L (Imperial) 3.94

Length L (Metric) 100.0

Fixation Method Others

Variant Roller form

Width W (Imperial) 0.43

Width W (Metric) 11.0

Height H (Imperial) 0.43

Cable Tie Width Max (Metric) 4.6

Material Metal (MET) Polyolefin (PO)

Material Shortcut PO MET

UV Resistant (Yes/No) No

Use Conditions For Indoor Use Only

Operating Temperature -40°F to +185°F (-40°C to +85°C)

Reach Compliant (Article 33) Yes

ROHS Compliant	Yes
Package Quantity (Imperial)	120
Package Quantity (Metric)	120
Customs Number	3921905050