

## DisplayPort to DVI Adapter Cable (DP with Latches to DVI-D Single Link M/M), 3 ft. (0.9 m)

MODEL NUMBER: **P581-003**



DisplayPort to DVI-D cable converts a DisplayPort video signal for display on a DVI-D single-link monitor, projector or TV.

### Features

**DisplayPort to DVI-D Converter Sends HD Video to Your Current DVI-D Display Device** This three-foot DisplayPort to DVI-D cable connects the DisplayPort output on your PC, laptop or Ultrabook to the DVI-D single-link input on your monitor, projector or television. No separate adapter or cable is needed. This allows you to continue using your existing DVI-D display for video without the expense of buying a new DisplayPort monitor.

**Simple Solution for Displaying 1080p Video on a Large Screen or Secondary Monitor** The P581-003 is ideal for the office, classrooms, lecture halls and anywhere else you need to connect a DisplayPort computer to a DVI monitor. It also allows you to conveniently connect an additional monitor to your home or office workspace. The DisplayPort to DVI-D cable with durable molded ends supports high-definition video resolutions up to 1920 x 1200 (including 1080p) at 60 Hz.

**Secures Tightly to Female Ports to Ensure a Secure Connection** Latches on the male DisplayPort plug and thumbscrews on the male DVI plug prevent the cable from being accidentally dislodged and interrupting vital video transmission.

**Passive Adapter for Use with Dual-Mode DisplayPort Sources** This cable is a passive adapter that requires the connected computer to support DisplayPort++ (DP++). This allows DVI signals to be passed through. Check the documentation for your DisplayPort source for compatibility.

**Ready to Use Right from the Package, So You Can Plug and Play Immediately** The plug-and-play DisplayPort to DVI-D converter requires no software, drivers or external power, works with both Windows and Mac operating systems, and is compatible with laptops and other devices equipped with a DisplayPort output that supports DP++. Its three-foot length reduces cable clutter in crowded applications and allows it to fit easily into your laptop bag or backpack for use at school or the office.

**3-Year Warranty** The P581-003 is backed by a 3-year warranty, ensuring reliability and performance.

## Specifications

### Highlights

- Outputs DisplayPort video to your current DVI display to avoid expense of new monitor
- Delivers HD video quality at resolutions up to 1920 x 1200 (including 1080p) @ 60 Hz
- Compact unit fits easily into briefcase or laptop bag for instant use anywhere
- Plug-and-play operation with no software required for easy, immediate installation
- Passive adapter requires connected computer to have DP++ port for signal pass-through

### Applications

- Use your existing DVI display with a new DisplayPort computer to avoid the expense of a new DisplayPort monitor
- Add a second monitor to your home or office workspace
- Video presentations in a classroom, lecture hall or conference room

### System Requirements

- Source device with DisplayPort output that supports DisplayPort++
- Display device with DVI-D input
- Not for use with MST Hubs. For compatibility with MST Hubs, use a DisplayPort 1.2 compliant product, such as P581-003-V2.

### Package Includes

- P581-003 DisplayPort to DVI-D Adapter Cable – M/M, DP w/Latches, 1920 x 1200 (1080p) @ 60 Hz, 3 ft.



Powering Business Worldwide

TRIPP LITE  
SERIES

| OVERVIEW                        |                               |
|---------------------------------|-------------------------------|
| UPC Code                        | 037332213563                  |
| Product Type                    | Passive Cable                 |
| Technology                      | DVI; DisplayPort              |
| Cable Type                      | Passive                       |
| VIDEO                           |                               |
| Max Supported Video Resolution  | 1920 x 1200 (1080p)           |
| CONNECTIONS                     |                               |
| Side A - Connector 1            | DISPLAYPORT (MALE)            |
| Side B - Connector 1            | DVI-D SINGLE LINK (MALE)      |
| Connector Plating               | Nickel                        |
| Contact Plating                 | Gold                          |
| Latching or Gripping Connector  | Yes                           |
| PHYSICAL                        |                               |
| Color                           | Black                         |
| Cable Jacket Color              | Black                         |
| Cable Jacket Material           | PVC                           |
| Cable Jacket Rating             | VW-1                          |
| Cable Length (ft.)              | 3                             |
| Cable Length (m)                | 0.91                          |
| Cable Length (in.)              | 36                            |
| Shipping Dimensions (hwd / in.) | 9.00 x 7.00 x 0.50            |
| Shipping Dimensions (hwd / cm)  | 22.86 x 17.78 x 1.27          |
| Shipping Weight (lbs.)          | 0.28                          |
| Shipping Weight (kg)            | 0.13                          |
| ENVIRONMENTAL                   |                               |
| Operating Temperature Range     | 32° to 158°F (0° to 70°C)     |
| Storage Temperature Range       | 14° to 158°F (-10° to 70°C)   |
| Operating Humidity Range        | 10% to 85% RH, Non-Condensing |
| Storage Humidity Range          | 5% to 90% RH, Non-Condensing  |
| FEATURES & SPECIFICATIONS       |                               |
| IP68 Rated                      | No                            |



Powering Business Worldwide

TRIPP LITE  
SERIES

| STANDARDS & COMPLIANCE              |                         |
|-------------------------------------|-------------------------|
| Product Compliance                  | RoHS                    |
| WARRANTY & SUPPORT                  |                         |
| Product Warranty Period (Worldwide) | 3-year limited warranty |

1000 Eaton Boulevard  
Cleveland, OH 44122  
United States  
<https://tripplite.eaton.com>

© 2025 Eaton. All Rights Reserved.  
Eaton is a registered trademark. All other trademarks  
are the property of their respective owners.