

10-Port USB 2.0 Hub, White

MODEL NUMBER: **U222-010-R**



Description

Tripp Lite's 10-port USB 2.0 hub is the most versatile and powerful hub on the market. This USB 2.0 hub allows you to connect up to ten USB devices to a single USB port on your computer. Features two swivel ports, for easy connection of MP3, flash drive and similar devices. This unit meets or exceeds USB 2.0 Specifications for Hi-Speed data transmission rates up to 480Mbps. Perfect for both the mobile and desktop user. While the hub will function perfectly in virtually all cases without needing external power, a multi-voltage AC adapter (100-240V) is included in the event you are connecting power hungry devices. The U222-010-R is backwards compatible so that it will function with both USB 2.0 and USB 1.1 devices. Over-current protection safeguards connected equipment from overvoltages. Includes a Hub to Computer USB Cable - 3ft USB "A" Male to 5-pin Mini-B male.

Features

- USB 2.0 Hi-Speed Hub, 10 Ports
- Hub to Computer USB Cable - 3ft USB "A" Male to 5-pin Mini-B male
- 2 Swivel ports for easy connection of MP3, flash drive and similar devices
- Backward compatible with USB 1.1
- Supports data transfer rates up to 480Mbps
- External power not required
- Plug-and-play/hot-swappable allows you to add or remove a device at any time
- Per-port overcurrent protection
- Bus-powered or self-powered
- Supports USB 2.0 spec up to 500mA per port
- On bus-power, 500mA from the USB 2.0 computer port is shared between the hub ports
- The included external power supply provides 2.5A of power, to be shared between the hub ports (up to 500mA per port)
- Compact, multi-voltage power supply (100-240V) provided in the event you are connecting power hungry devices
- Compatible with all major operating systems

Highlights

- USB 2.0 Hi-Speed Hub, 10-Ports
- 2 Swivel ports for easy connection of MP3, flash drive and similar devices
- Backward compatible with USB 1.1
- Compatible with all major operating systems
- Supports USB 2.0 spec up to 500mA per port

Package Includes

- U222-010-R 10-Port USB 2.0 Hub
- External Power Supply with NEMA 1-15P Plug (Input: 100-240V, 50/60Hz, 0.5A; Output: 5V, 2.5A)
- Hub to Computer USB Cable - 3ft USB "A" Male to 5-pin Mini-B male



Powering Business Worldwide



Specifications

OVERVIEW	
UPC Code	037332155443
Technology	USB 2.0 (High Speed)
INPUT	
AC Power Adapter Plug(s)	NEMA 1-15P North America
AC Power Adapter Input Specs (V / Hz / A)	100-240V / 50/60Hz / 0.5A
AC Power Adapter Output Specs (V / A)	5V / 2.5A
AC Power Adapter Cord Length (ft.)	5
Voltage Compatibility (VAC)	100; 110; 120; 127; 200; 208; 220; 230; 240
Bus Powered	No
POWER	
AC Adapter	Input: 100-240VAC, 50/60Hz, 0.5A; Output: 5V, 2.5A
DC Barrel Plug	OD: 3.5 x 1.35 x 9.5mm, Positive Pin, Negative Sleeve
CONNECTIONS	
Number of Ports	10
Side A - Connector 1	USB MINI-B 5-PIN (FEMALE)
Side B - Connector 1	(10) USB A (FEMALE)
Connector Plating	Nickel
USER INTERFACE, ALERTS & CONTROLS	
LED Indicators	Blue (Power)
PHYSICAL	
Color	White
Material of Construction	ABS
Shipping Dimensions (hwd / in.)	8.70 x 6.30 x 3.20
Shipping Weight (lbs.)	0.90
Shipping Weight (kg)	0.41
Unit Dimensions (hwd / in.)	0.750 x 6.200 x 3.000
Unit Packaging Type	Clamshell
Unit Weight (lbs.)	0.4
Unit Weight (kg)	0.18

ENVIRONMENTAL	
Operating Temperature Range	50 to 104 F (10 to 40 C)
Storage Temperature Range	14 to 176 F (-10 to 80 C)
Relative Humidity	0% to 90 RH, Non-Condensing
BTUs	8.5 BTU/Hr
FEATURES & SPECIFICATIONS	
USB Specification	USB 2.0 (up to 480 Mbps)
Driver Required	No
STANDARDS & COMPLIANCE	
External Power Supply Certifications	FCC; UL; cUL; RoHS
WARRANTY & SUPPORT	
Product Warranty Period (Worldwide)	3-year limited warranty

1000 Eaton Boulevard
Cleveland, OH 44122
United States
<https://tripplite.eaton.com>

© 2024 Eaton. All Rights Reserved.
Eaton is a registered trademark. All other trademarks
are the property of their respective owners.