



Connectors > Connector Accessories > Connector Seals & Cavity Plugs > DEUTSCH Sealing Plugs



Connector Seal & Plug Type: **Keying Plug**

Primary Product Material: **PBT GF30**

Primary Product Color: **Red**

Operating Temperature (Max): **125 °C [257 °F]**

Contains Lubricant: **No**

[All DEUTSCH Sealing Plugs \(10\)](#)

Features

Industry Standards

UL Flammability Rating	UL 94V-0
------------------------	----------

Packaging Features

Packaging Method	Box
------------------	-----

Product Type Features

Connector Seal & Plug Type	Keying Plug
----------------------------	-------------

Body Features

Primary Product Material	PBT GF30
Primary Product Color	Red

Usage Conditions

Operating Temperature (Max)	125 °C[257 °F]
Operating Temperature Range	-55 – 125 °C[-67 – 257 °F]

Other

Contains Lubricant	No
--------------------	----

EU RoHS Compliance	Compliant
--------------------	-----------

EU ELV Compliance	Compliant
-------------------	-----------

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
------------------------------	-----------

EU ELV Directive 2000/53/EC	Compliant
-----------------------------	-----------

China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
---	---

EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
--	---

Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
-----------------	--

Solder Process Capability	Not reviewed for solder process capability
---------------------------	--

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>



Compatible Parts

TE Part # 2303064-2 REC, 12P, BLK, N, FLANGE, B
--





TE Part # YDTM04-08PC-L02500 REC, 8P, GRN, N, FLANGE, C
--


TE Part # DRC26-24SC PLG, 24P, BLK, N, C

TE Part # DRC26-50S08-C027 PLG, 50P, BLK, N, SPECIAL GROMMET, 08




Also in the Series | **DEUTSCH HD**







Insertion & Extraction Tools(10)



Other Automotive Connector Accessories(6)



PCB Headers & Receptacles(1)




Wire-to-Board Headers & Receptacles (1)

Also in the Series | DEUTSCH HD30



Automotive Connector Caps & Covers (14)




Automotive Housings(359)




Connector Seals & Cavity Plugs(11)



Connector Strain Relief(5)



Insertion & Extraction Tools(10)




Other Automotive Connector Accessories(6)

Customers Also Bought



TE Part #DT04-12PA-P030
REC, 12P, GRY, BUSBAR 4X3, NICKEL, A



TE Part #2103346-1
HVA280 2 Bay Header Sub-Assy, KEY A, E



TE Part #HDP26-24-91SN-P064
PLG, 9P, BLK, N, NO JMP, 8/12/16, S



TE Part #2176093-3
RP 2A 0.25W 9K53 0.1% 25PPM 1K RL



TE Part #HD34-24-9SN-059
REC, 9P, AL, N, CBLCLMPBT, DRAIN, 4/8 /12, S, MC



TE Part #2103177-5
PLUG ASSY, KEY E, TA, CPA, HVA280-2PHI XE



TE Part #CAT-HVH5375
High-Voltage Header



TE Part #K1125921
Batt Disconnecter 35-524-231-R-A2-900



Documents

Product Drawings

[SEALING PLUG, SIZE 20, KEYING, RED](#)

English

CAD Files

[3D PDF](#)

3D

Customer View Model

[ENG_CVM_CVM_0413-216-2005_A.2d_dxf.zip](#)

English

Customer View Model

[ENG_CVM_CVM_0413-216-2005_A.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_0413-216-2005_A.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

[DEUTSCH HD30 & HDP20 CONNECTOR SERIES](#)

English

[CONNECTOR SELECTOR](#)

English

Product Specifications

[Application Specification](#)

English

[Application Specification](#)

English

[Application Specification](#)

English

Instruction Sheets

[Instruction Sheet \(U.S.\)](#)

English

