




Powering Business Worldwide

TRIPP LITE  
SERIES

## Heavy-Duty Tilt Wall Mount for 26" to 70" Curved or Flat-Screen Displays

MODEL NUMBER: DWT2670XE



Mounts a television or monitor on the wall in your classroom, conference room, restaurant, lobby or home theater.

### Features

#### Mounts Your TV or Monitor on the Wall for a Perfect Viewing Angle

Recommended for home theaters, classrooms, conference rooms, hotels, bars, restaurants or anywhere else you may want to show off a television or monitor, this low-profile TV wall mount is hidden out of sight behind the display for a sleek, professional appearance. It fits most curved- and flat-screen displays from 26 to 70 inches and up to 165 pounds (75 kilograms).

#### Tilt Feature Lets You Adjust the Viewing Angle to Your Specifications

You can adjust the horizontal angle of your display from  $-8^{\circ}$  to  $+0^{\circ}$ . This will minimize glare on the screen and allow you to customize the angle for comfortable viewing.

#### Durable All-Metal Construction Provides Convenient Cable Access

The DWT2670XE is constructed from heavy-duty steel with a powder-coated black finish that resists scratches. Its open frame design with smooth edges enables easy access to cabling. Horizontal mounting rails adjust to compensate for off-center wall studs. Removing and replacing the display is fast and simple using the automatic spring locks with quick-release cords.

#### VESA-Compliant Mounting Ensures Display Compatibility

VESA (Video Electronics Standards Association) promotes uniformity in the video electronics industry by developing standards for TVs and monitors. For hassle-free display compatibility, this mount supports the following VESA mounting hole patterns: 50 x 50, 75 x 75, 100 x 100, 100 x 150, 100 x 200, 150 x 100, 150 x 150, 200 x 100, 200 x 200, 200 x 400, 300 x 200, 300 x 300, 350 x 350, 400 x 200, 400 x 300 and 400 x 400. Mounting hardware is included.

### Highlights

- Accepts most popular curved and flat-screen displays from 26 to 70 in. up to 165 lb. (75 kg.)
- Automatic spring locks with quick-release cords ensure quick and easy display removal
- Adjustable horizontal mounting rails help compensate for off-center wall studs
- Open-back architecture enables easy access to cables and power cords
- Conforms to current VESA standards to ensure compatibility with your display

### System Requirements

Supports VESA mounting hole patterns 50 x 50, 75 x 75, 100 x 100, 100 x 150, 100 x 200, 150 x 100, 150 x 150, 200 x 100, 200 x 200, 200 x 400, 300 x 200, 300 x 300, 350 x 350, 400 x 200, 400 x 300 and 400 x 400

### Package Includes

- DWT2670XE Heavy-Duty Tilt Wall Mount
- Mounting hardware
- Owner's manual

## Specifications

| OVERVIEW             |              |
|----------------------|--------------|
| UPC Code             | 037332275776 |
| Device Compatibility | Monitor/HDTV |



Powering Business Worldwide

TRIPP LITE  
SERIES

| PHYSICAL                        |                                                                                                                                            |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------|
| Color                           | Black                                                                                                                                      |
| Material of Construction        | Steel                                                                                                                                      |
| VESA Pattern (mm)               | 50x50; 75x75; 100x100; 100x150; 100x200; 150x100; 150x150; 200x100; 200x200; 200x400; 300x200; 300x300; 350x350; 400x200; 400x300; 400x400 |
| Motion                          | Tilt                                                                                                                                       |
| Mounting Location               | Wall                                                                                                                                       |
| Degrees of Motion               | -8/+0 Tilt                                                                                                                                 |
| Distance from Wall (in.)        | 1.46                                                                                                                                       |
| Distance from Wall (cm)         | 4                                                                                                                                          |
| Distance from Wall (mm)         | 37                                                                                                                                         |
| Minimum Screen Size (in.)       | 26                                                                                                                                         |
| Minimum Screen Size (cm)        | 66.04                                                                                                                                      |
| Maximum Screen Size (in.)       | 70                                                                                                                                         |
| Maximum Screen Size (cm)        | 177.8                                                                                                                                      |
| Maximum Weight Capacity (lbs.)  | 165                                                                                                                                        |
| Maximum Weight Capacity (kg)    | 75                                                                                                                                         |
| Number of Displays              | 1                                                                                                                                          |
| Shipping Dimensions (hwd / in.) | 17.50 x 4.65 x 1.57                                                                                                                        |
| Shipping Dimensions (hwd / cm)  | 44.45 x 11.81 x 3.99                                                                                                                       |
| Shipping Weight (lbs.)          | 3.08                                                                                                                                       |
| Shipping Weight (kg)            | 1.40                                                                                                                                       |
| Unit Dimensions (hwd / in.)     | 16.540 x 17.200 x 1.500                                                                                                                    |
| Unit Dimensions (hwd / cm)      | 16.54 x 17.2 x 1.5                                                                                                                         |
| Unit Weight (lbs.)              | 2.64                                                                                                                                       |
| Unit Weight (kg)                | 1.20                                                                                                                                       |
| Assembly Required               | Yes                                                                                                                                        |
| FEATURES & SPECIFICATIONS       |                                                                                                                                            |
| Antimicrobial                   | No                                                                                                                                         |
| Cord Management                 | No                                                                                                                                         |
| Tools Necessary                 | Yes                                                                                                                                        |
| Security Lock                   | No                                                                                                                                         |
| STANDARDS & COMPLIANCE          |                                                                                                                                            |
| Product Compliance              | REACH; RoHS3                                                                                                                               |



Powering Business Worldwide

TRIPP LITE  
SERIES

WARRANTY & SUPPORT

|                                        |                         |
|----------------------------------------|-------------------------|
| Product Warranty Period<br>(Worldwide) | 5-year limited warranty |
|----------------------------------------|-------------------------|

1000 Eaton Boulevard  
Cleveland, OH 44122  
United States  
<https://tripplite.eaton.com>

© 2025 Eaton. All Rights Reserved.  
Eaton is a registered trademark. All other trademarks  
are the property of their respective owners.