

# Heavy-Duty Power Extension Cable, NEMA L5-15R to NEMA 5-15P - 15A, 120V, 14 AWG, 1 ft. (0.31 m), Black

MODEL NUMBER: P023-001



Heavy-duty extension cord converts a NEMA L5-15P plug into a standard NEMA 5-15P plug. Extends an existing power connection by 1 ft.

## Features

**Heavy-Duty Extension Cable for Network Devices That Require a Heavy-Gauge Connection** This cable features 14 AWG wire suitable for high power connections, making it a reliable solution for large server applications that require a higher-rated, heavier-gauge cable. It converts a NEMA L5-15P plug into a standard non-locking NEMA 5-15P plug, so it can connect to wall outlets, PDUs, surge protectors or UPS systems without NEMA L5-15R outlets. The 3-ft. (0.91 m) length helps reduce cable clutter and minimize the risk of tripping.

## Specifications

| OVERVIEW                    |                                          |
|-----------------------------|------------------------------------------|
| UPC Code                    | 037332145567                             |
| Device Compatibility        | Computer; Monitor/HDTV; Server; UPS; PDU |
| Country/Region              | North America                            |
| INPUT                       |                                          |
| Maximum Input Amps          | 15                                       |
| Voltage Compatibility (VAC) | 125                                      |
| CONNECTIONS                 |                                          |
| Side A - Connector 1        | NEMA 5-15P                               |
| Side B - Connector 1        | NEMA L5-15R                              |

## Highlights

- Recommended for powering computers, servers and other network devices
- 1-ft. (0.31 m) length allows flexibility in placing devices, while avoiding cable clutter
- Heavy-duty cord replaces or upgrades standard power cord provided by manufacturer
- Thick 14 AWG wire gauge manages high power levels required for larger equipment

## Applications

- Connect devices like computers, servers and monitors to a PDU in your data center
- Extend an existing power connection up to 1-ft. (0.31 m) to more easily place a device or reach a power source in a rack
- Update or replace the standard power cord provided by a device's original manufacturer

## Package Includes

- P023-001 Heavy-Duty Extension Cable, L5-15R to 5-15P, 1-ft. (0.31 m), Black



Powering Business Worldwide

TRIPP LITE  
SERIES

| PHYSICAL                            |                             |
|-------------------------------------|-----------------------------|
| Plug Color                          | Black                       |
| Cable Jacket Color                  | Black                       |
| Cable Jacket Material               | PVC                         |
| Cable Jacket Rating                 | FT2                         |
| Power Cord Jacket Type              | SJT                         |
| Cable Outer Diameter (OD)           | 9.2mm                       |
| Number of Conductors                | 3                           |
| Wire Gauge (AWG)                    | 14                          |
| Wire Gauge (OD - mm <sup>2</sup> )  | 2.08                        |
| Cable Length (ft.)                  | 1                           |
| Cable Length (m)                    | 0.30                        |
| Shipping Dimensions (hwd / in.)     | 10.00 x 7.00 x 0.50         |
| Shipping Dimensions (hwd / cm)      | 25.40 x 17.78 x 1.27        |
| Shipping Weight (lbs.)              | 0.34                        |
| Shipping Weight (kg)                | 0.15                        |
| ENVIRONMENTAL                       |                             |
| Operating Temperature Range         | -4° to 140°F (-20° to 60°C) |
| Storage Temperature Range           | -4° to 140°F (-20° to 60°C) |
| Operating Humidity Range            | 20% to 80% RH               |
| Storage Humidity Range              | 20% to 80% RH               |
| FEATURES & SPECIFICATIONS           |                             |
| Antibacterial                       | No                          |
| Angled Plug                         | No                          |
| High Voltage                        | Yes                         |
| Locking Plug                        | No                          |
| Coiled Power Cord                   | No                          |
| STANDARDS & COMPLIANCE              |                             |
| Product Certifications              | cUL Listed; UL Listed       |
| Product Compliance                  | RoHS                        |
| WARRANTY & SUPPORT                  |                             |
| Product Warranty Period (Worldwide) | Lifetime limited warranty   |



*Powering Business Worldwide*

TRIPP LITE  
SERIES

1000 Eaton Boulevard  
Cleveland, OH 44122  
United States  
<https://tripplite.eaton.com>

© 2025 Eaton. All Rights Reserved.  
Eaton is a registered trademark. All other trademarks  
are the property of their respective owners.