



Wire & Cable > Twisted Pair Cable



Operating Temperature Range: -55 – 105 °C [-67 – 221 °F]

Cable Type: **VG-95218**

Operating Voltage: **600 VAC**

Wire & Cable Insulation Material: **Halogen-Free Polymer**

Conductor Material: **Tin-Plated Copper**

Features

Electrical Characteristics

Operating Voltage	600 VAC
-------------------	---------

Body Features

Wire & Cable Insulation Material	Halogen-Free Polymer
Conductor Material	Tin-Plated Copper

Dimensions

Wire Size	1 mm ²
-----------	-------------------

Usage Conditions

Operating Temperature Range	-55 – 105 °C[-67 – 221 °F]
Cable Type	VG-95218

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247)



Halogen Content	Does not contain REACH SVHC
Solder Process Capability	Out of Scope - excluded from Halogen requirements
	Not applicable for solder process capability

Product Compliance Disclaimer


This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts




TE Part # F05927-000
[101A062-100/180-0](#)


Customers Also Bought



TE Part #EQ11873001
[VG-95218-T028-C100CK3100](#)



TE Part #971078-000
[382A023-25/225-0](#)



TE Part #CAT-R21-731072
Bulbous Heat Shrink Boots: Lipped, Straight




TE Part #153282-000
[342A012-25/225-0](#)



TE Part #703802-000
[422A414-25-0](#)



TE Part #131250-000
[222K132-25/225-0](#)



TE Part #CAT-R21-T79024
Single Thin Wall DR 25 TW Heat Shrink Tubing 2:1 Shrink Ratio



Documents

Product Drawings

VG-95218-T021-C006

English

Datasheets & Catalog Pages

Solutions for Defense Applications Certified to VG Standards

English