



Application Tooling > Hand Crimping Tools



Tool Grade: **Commercial Crimp Tooling**
Ratchet Configuration: **Operator Releasable & Adjustable**
Die Sets Type: **Removable/Interchangeable**
Specification Type: **TE Product Specification (114-)**
TE Certification: **Upon Request for Fee**

Features

Other

Crimp Form-Wire Barrel Type	Open Barrel - F Crimp
Tool Grade	Commercial Crimp Tooling
Ratchet Configuration	Operator Releasable & Adjustable
Die Sets Type	Removable/Interchangeable
Specification Type	TE Product Specification (114-)
TE Certification	Upon Request for Fee
Power Technology Type	Manual
Tooling Type	C Head Straight Action Hand Tool Assembly

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Out of Scope
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Candidate List Declared Against: JAN 2024 (240) Does not contain REACH SVHC




Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

 TE Part # 2-160759-9 POSITIVE LOCK 250 REC 0.5-1.5MM2 NISI	 TE Part # 160759-4 PL 250 TERMINAL REC 0.5-1.5 MM2 TPPHBZ	 TE Part # 160759-1 PL 250 TERMINAL REC 0.5-1.5 MM2 BR	 TE Part # 1-160759-1 250 PL MKI REC. 20-15AWG PTBR
 TE Part # 160759-3 250 PL MKI REC. 20-15AWG TPBR	 TE Part # 1-160759-2 250 PL MKI REC. 20-15AWG PTPB	 TE Part # 160773-7 PL LP REC 0.5-1.5 MM2 PTPPHBZ	 TE Part # 281827-2 PL 0.5-1.5 MM2 0.40 X 52.30 TPBR
 TE Part # 160773-3 PL LP RECEPTACLE 0.5-1.5 MM2 TPBR	 TE Part # 160773-4 PL LP RECEPTACLE 0.5-1.5 MM2 TPPHBZ	 TE Part # 2-160759-1 POSITIVE LOCK 250 REC 0.5-1.5MM2 NPPHBRZ	 TE Part # 160773-6 PL LOOSE PIECE REC 0.5-1.5 MM2 PTPBR



TE Part # 160773-1
PL LP RECEPTACLE 0.5-1.5 MM2 BR

TE Part # 160759-2
PL 250 TERMINAL REC 0.5-1.5 MM2 PHBZ

TE Part # 160759-7
POSITIVE LOCK RECEPTACLE MKI

Customers Also Bought

TE Part #1-154719-0
PL 250 REC HSG 1P NYLON NAT

TE Part #1-160759-1
250 PL MKI REC. 20-15AWG PTBR

TE Part #69355
HHHT SOLIS SOLIS FLAG STRATO 8 ASSY

TE Part #69324-1
DAHT STRATO SOLIS 22-10 ASSY

TE Part #576781
HHHT PIDG PEEK STRATO 16 ASSY

TE Part #ZPF00000000020076
FDBA 57-8-33 SN-K-A5610

TE Part #160773-6
PL LOOSE PIECE REC 0.5-1.5 MM2 PTPBR

TE Part #1-926522-2
PL 250 REC HSG 2P NYLON NAT

TE Part #440579-000
TXR54AC00-2008AIF

TE Part #91066-4
INSERTION/EXTRACTION TOOL

Documents

Datasheets & Catalog Pages
1654742_HOUSEHOLD_APPLIANCES_RAST5

English
Bottoming Dies

English

Instruction Sheets
Instruction Sheet (non U.S.)

German

