OMRON Industrial Automation



E2E-X7D212-M1TGJ-T 0.3M

Proximity sensor, inductive, brass-nickel, M12, shielded, 7 mm, NC, 0.3 m pig-tail, DC 2-wire, no polarity

Specifications

Size	M12
Mounting type	Quasi-flush
Sensing distance	7 mm
Overall length of sensor	47.1 mm
Thread length	28 mm
Material housing	Brass, nickel plated
Output type	2-wire
Operation mode	NC
Connection method	M12 pigtail Smartclick connector
Cable specifications	PVC (oil-resistant)
Cable length	0.3 m
IO-Link function	✖
Degree of protection (IP)	IP67/IP67G/IP69K

Accessories



Y92E-J12S18 OMS Mounting Sleeves e-jig for M12 Prox

Related products



M12 Connectors & Cordsets
Industrial connectors & cordsets for any application

Downloads

CAD Library



E2E NEXT
Datasheet
EN PDF 40 MB



E2E(Q)-X_D_
Instruction Sheet
EN PDF 12.7 MB



IO-Link Series
Brochure
EN PDF 7.95 MB

TERMS OF WEBSITE USE

This PDF document was created from the European OMRON Industrial Automation website on 29 August, 2026. Click here for terms of use.